

# **Safety Data Sheet**

Issue Date: 24-Jun-2014

Revision Date: 16-Jul-2014

Version 1

# **1. IDENTIFICATION**

Product Identifier Product Name

Ultra High Pressure Soap

Other means of identification SDS #

QC-062

Recommended use of the chemical and restrictions on useRecommended UseCleaning agent.

# Details of the supplier of the safety data sheet Supplier Address Qual Chem LLC

Qual Chem LLC 86 Merz Blvd Akron, OH 44333

Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)

1-800-616-CHEM (2436) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical State Liquid

**Classification** 

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

<u>Signal Word</u> Danger

### Hazard Statements

Causes severe skin burns and eye damage



# **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

### Precautionary Statements - Storage

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Proprietary Solvent	Proprietary	1-10
Proprietary Base	Proprietary	1-10
Proprietary Solvent	Proprietary	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# **4. FIRST-AID MEASURES**

### **First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek medical attention if irritation develops.		
Inhalation	Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Get medical attention immediately.		
Ingestion	Do not induce vomiting without medical advice. If conscious, give 1 glass of water to dilute. Never give anything by mouth to an unconscious person. Get medical attention immediately.		
Most important symptoms and effe	<u>ects</u>		
Symptoms	Causes skin irritation and serious eye damage. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, throat or stomach.		
Indication of any immediate medica	al attention and special treatment needed		
Notes to Physician	Treat symptomatically.		

# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Water, Foam, Dry Chemical, Carbon Dioxide.

### Unsuitable Extinguishing Media Not determined.

### Specific Hazards Arising from the Chemical

Non-flammable solution.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.		
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.		
Methods and material for containn	nent and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.		
Methods for Clean-Up	Sweep up and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.		

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. For Industrial or professional use only. Product should only be handled by trained personnel. Keep out of the reach of children. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

# Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Incompatible Materials Acids. Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Solvent	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Proprietary Base	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Proprietary Solvent	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

# Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits.
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection	Safety glasses.
Skin and Body Protection	Chemical impervious gloves. Boots, aprons needed for protection against spill / splashes.
<b>Respiratory Protection</b>	Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.
General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands b eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If need take first aid action shown on section 4 of this SDS. Launder contaminated clothing b reuse.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State
Appearance
Color

Liquid Clear liquid Not determined

Odor Odor Threshold Not determined Not determined

Property	Values	Remarks • Method
pH	10.0-11.5	
Melting Point/Freezing Point	0 °C / 32 °F	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	> 93.33 °C / > 200 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.00-1.04	@ 25 °C (77 °F)
Water Solubility	Soluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

# **10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### **Conditions to Avoid**

Keep out of reach of children.

# Incompatible Materials

Acids. Strong oxidizing agents.

# Hazardous Decomposition Products

Alkaline fumes.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	Ingestion may cause severe burns to mouth, throat or stomach.
Skin Contact	Causes severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Proprietary Solvent	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg	= 2.21 mg/L (Rat) 4 h = 450 ppm	
		(Rabbit)	( Rat ) 4 h	
Proprietary Base	-	= 1350 mg/kg (Rabbit)	-	
Proprietary Solvent	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h	

### Information on physical, chemical and toxicological effects

#### Symptoms

Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Proprietary Solvent	A3	Group 3		
Proprietary Solvent	A3	Group 1	Known	Х

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 IARC components are "not classifiable as human carcinogens" NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

### Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary Solvent		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Proprietary Base		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Proprietary Solvent		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

### Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

### **Mobility**

Chemical Name	Partition Coefficient
Proprietary Solvent	0.81
Proprietary Solvent	-0.32

# Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

# Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Proprietary Base	Toxic
	Corrosive
Proprietary Solvent	Toxic
	Ignitable

	14. TRANSPORT INFORMATION			
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.			
DOT	Please contact manufacturer for most current information			
IATA	Please contact manufacturer for most current information			
IMDG	Please contact manufacturer for most current information			
15. REGULATORY INFORMATION				

### International Inventories

Not determined

### US Federal Regulations

# **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary Base	1000 lb		RQ 1000 lb final RQ
			RQ 454 kg final RQ

# <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Proprietary Solvent -		1-10	1.0

### CWA (Clean Water Act)

	Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ſ	Proprietary Base	1000 lb			Х
	(1-10)				

### US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Proprietary Solvent -	Carcinogen	
	Developmental	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Proprietary Solvent	Х	X	Х
Proprietary Base	Х	X	Х
Proprietary Solvent	Х	X	Х

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazards	Flammability Not determined	Instability Not determined	Special Hazards
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	В
Issue Date:	24-Jun-2014			
Revision Date:	16-Jul-2014			

**Disclaimer** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

New product

### **End of Safety Data Sheet**