

Issue Date: 12-20-21

Revision Date: 12-20-21

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Comtec High Extreme

Other means of identification

SDS # QC-538

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Details of the supplier of the safety data sheet

Supplier Address

Qual Chem LLC
86 Merz Blvd
Akron, OH 44333

Emergency Telephone Number

Company Phone Number 1-800-616-CHEM (2436)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical State Liquid

Classification

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------------|-------------|----------|
| Proprietary Base | Proprietary | 1-10 |
| Proprietary Solvent | Proprietary | 1-5 |
| Proprietary Solvent | Proprietary | 1-5 |
| Proprietary Base | Proprietary | 1-5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

| | |
|-----------------------|---|
| General Advice | Provide this SDS to medical personnel for treatment. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek medical attention if irritation develops. |
| Inhalation | Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Get medical attention immediately. |
| Ingestion | Do not induce vomiting without medical advice. If conscious, give 1 glass of water to dilute. Never give anything by mouth to an unconscious person. Get medical attention immediately. |

Most important symptoms and effects

| | |
|-----------------|--|
| Symptoms | Causes skin irritation and serious eye damage. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, throat or stomach. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water, Foam, Dry Chemical, Carbon Dioxide.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-flammable solution.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. For Industrial or professional use only. Product should only be handled by trained personnel. Keep out of the reach of children. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Incompatible Materials Acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------|-------------------------------|--|--|
| Proprietary Base | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ |
| Proprietary Solvent | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³ |
| Proprietary Solvent | STEL: 150 ppm TWA: 100 ppm | (vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³ | TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³ |
| Proprietary Base | Ceiling: 2 mg/m ³ | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Chemical impervious gloves. Boots, aprons needed for protection against spill / splashes.

Respiratory Protection Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|----------------|-----------------------|----------------|
| Physical State | Liquid | Odor | Not determined |
| Appearance | Not determined | Odor Threshold | Not determined |
| Color | Not determined | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|------------------------------|-----------------------|-------------------------|
| pH | 10.6-11.6 | |
| Melting Point/Freezing Point | 0 °C / 32 °F | |
| Boiling Point/Boiling Range | 100 °C / 212 °F | |
| Flash Point | > 93.33 °C / > 200 °F | |
| Evaporation Rate | Not determined | |
| Flammability (Solid, Gas) | n/a-liquid | |
| Upper Flammability Limits | Not determined | |
| Lower Flammability Limit | Not determined | |
| Vapor Pressure | Not determined | |
| Vapor Density | Not determined | |
| Specific Gravity | 1.08-1.1 | @ 25 °C (77 °F) |
| Water Solubility | Soluble in water | |
| Solubility in other solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | 1-25 cps | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids. Strong oxidizing agents.

Hazardous Decomposition Products

Alkaline fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Eye Contact | Causes severe eye damage. |
| Skin Contact | Causes severe skin burns. |
| Inhalation | May cause irritation to the mucous membranes and upper respiratory tract. |
| Ingestion | Ingestion may cause severe burns to mouth, throat or stomach. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------|--------------------|---|---|
| Proprietary Base | - | = 1350 mg/kg (Rabbit) | - |
| Proprietary Solvent | = 470 mg/kg (Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h |
| Proprietary Solvent | = 5200 mg/kg (Rat) | = 13000 mg/kg (Rabbit) | = 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h |
| Proprietary Base | = 214 mg/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------------|-------|---------|-----|------|
| Proprietary Solvent | A3 | Group 3 | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------|----------------------|--|----------------------------|---|
| Proprietary Base | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |
| Proprietary Solvent | | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |
| Proprietary Solvent | | 20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static | | 23300: 48 h Daphnia magna mg/L EC50 |
| Proprietary Base | | 80: 96 h Gambusia affinis mg/L LC50 static | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|---------------------|-----------------------|
| Proprietary Solvent | 0.81 |
| Proprietary Solvent | -0.437 |
| Proprietary Base | 0.83 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------|-----------------------------------|
| Proprietary Base | Toxic Corrosive |
| Proprietary Base | Toxic Corrosive |

14. TRANSPORT INFORMATION

- Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
- DOT** Please contact manufacturer for most current information
- IATA** Please contact manufacturer for most current information
- IMDG** Please contact manufacturer for most current information

15. REGULATORY INFORMATION**International Inventories**

Not determined

US Federal Regulations**CERCLA**

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------|--------------------------|----------------|---|
| Proprietary Base | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Proprietary Base | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-----------------------|--------|----------|-------------------------------|
| Proprietary Solvent - | | 1-5 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Proprietary Base (1-10) | 1000 lb | | | X |
| Proprietary Base (1-5) | 1000 lb | | | X |

US State Regulations**U.S. State Right-to-Know Regulations**

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------|------------|---------------|--------------|
| Proprietary Base | X | X | X |
| Proprietary Solvent | X | X | X |
| Proprietary Solvent | X | X | X |
| Proprietary Base | X | X | X |

16. OTHER INFORMATION**NFPA****Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

3

Flammability

0

Physical Hazards

0

Personal Protection

B

Issue Date:

112-20-21

Revision Date:

012-20-21

Revision Note:

New product

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet